LEVEL 1 - AREA A FLOOR PLAN
A-101A

FOR BLUEBEAM LABELING/OCR:

0"
1"



1/ A-101A | LEVEL 1 - AREA A FLOOR PLAN
3/32" = 1'-0"

GENERAL ARCH PLAN NOTES

1. DO NOT SCALE DRAWINGS, WRITTEN DIMENSIONS TAKE PRECEDENCE, CONTACT ARCH IF CLARIFICATION IS NECESSARY IN ORDER TO DETERMINE THE INTENT OF THE CONTRACT DOCUMENTS.
2. DRAWINGS NOTED AS "N.T.S" OR "NTS" ARE NOT TO SCALE.
3. ALL DIMENSIONS ARE TO STRUCTURAL COLUMN LINES OR THE SURFACE OF PARTITION ASSEMBLY U.N.O.
4. FIELD VERIFY ALL DIMENSIONS AND EXISTING CONDITIONS BEFORE COMMENCING WORK. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO PROCEEDING WITH AFFECTED WORK.
5. NOTES OR DIMENSIONS NOTED AS "TYPICAL" OR "TYP." OR "TYP" SHALL APPLY TO CONDITIONS THAT ARE THE SAME OR SIMILAR.
6. DIMENSIONS NOTED AS "FIELD VERIFY" OR "V.I.F." OR "VIF" SHALL BE MEASURED AND CONFIRMED AT THE PROJECT SITE BY THE CONTRACTOR AND REVIEWED WITH THE ARCH. BEFORE INCORPORATING INTO THE WORK.
7. DIMENSIONS NOTED AS "CLEAR" OR "CLEAR INSIDE" OR "CLR" REQUIRE SPECIFIC COORDINATION AMONG DISCIPLINES AND OR MANUFACTURERS.
8. REFER TO PARTITION TYPES ON A-800 SERIES SHEETS.
9. ALL INTERIOR PARTITIONS (A-131A SHEET), EXCEPT FOR FURR-OUT PARTITIONS, SHALL BE PARTITION TYPE M6 U.N.O.
10. ALIGN FINISHED FACE OF WALLS WHERE WALL PARTITIONS OF DIFFERING THICKNESS ABUT AND OR ADJOIN IN THE SAME PLANE.
11. PROVIDE AND INSTALL CONTINUOUS REVEAL TRIM AT JOINT WHERE GYPSUM BOARD WALL PARTITIONS ABUT AND OR ADJOIN MASONRY WALL PARTITIONS IN THE SAME PLANE.
12. ALL INTERIOR CMU OUTSIDE CORNERS SHALL HAVE BULLNOSE U.N.O.
13. ALL DOORS SHALL BE SET 4 INCHES OFF THE ADJACENT PERPENDICULAR WALL ON THE HINGE SIDE OF THE DOOR U.N.O., NOTIFY ARCH. OF ANY DOOR-RELATED CONFLICTS, INCLUDING BUT NOT LIMITED TO CONFLICTS CONCERNING ACCESSIBILITY STANDARDS.
14. ALL DOOR THRESHOLDS AT ALL EXTERIOR DOORS SHALL BE SET IN FULL BED OF SEALANT.
15. COORDINATE ALL ROOF DRAIN LEADER LOCATIONS WITH FLOOR PLAN PRIOR TO FLOOR SLAB CONSTRUCTION.
16. ALL FLOOR SLOPES TO FLOOR DRAINS SHALL NOT EXCEED 1:48
17. PROVIDE AND INSTALL SELF-LEVELING UNDERLAYMENT WHERE UNEVEN FLOOR SLAB EXISTS PRIOR TO INSTALLATION OF FLOOR FINISHES.
18. COORDINATE HOUSEKEEPING PAD LOCATIONS AND DIMENSIONS WITH EQUIPMENT TO BE INSTALLED.
19. ALL REQUIRED ACCESSIBLE CLEARANCES FOR ALL ITEMS, INCLUDING BUT NOT LIMITED TO ALL COUNTER TOPS, ALL PLUMBING FIXTURES, ALL DRINKING FOUNTAINS, ALL ELECTRIC WATER COOLERS, ALL LAVATORIES, ALL URINALS, ALL TOILETS SHALL BE STRICTLY ENFORCED.
20. APPLY BITUMINOUS COATING TO ALL CONCEALED STRUCTURAL STEEL MEMBERS AT ALL EXTERIOR CANOPY LOCATIONS.
21. REFER TO OTHER DISCIPLINE DOCUMENTS FOR ADDITIONAL SCOPE OF WORK.

PLAN KEYNOTES (This Sheet Only)

NUMBER	DESCRIPTION
1	CONCRETE SIDEWALK.
2	ELECTRONIC SCOREBOARD. REFER TO SPECIFICATIONS FOR DIM. AND INFORMATION
3	MOTOR OPERATED, FORWARD FOLDING BASKETBALL BACKBOARD
4	MOTOR OPERATED, FORWARD FOLDING BASKETBALL BACKBOARD W/ SHOT CLOCK (SEE ELECT.)
5	WALL SAFETY PADS. SAFETY PADS TO COVER WIDTH OF GYM. COURT MARKINGS. PROVIDE FABRICATED CORNER PADS AS REQ'D
6	ICE MACHINE
7	WEIGHTROOM MIRROR. REFER TO DETAIL 1/A-961
8	METAL LOCKERS - TYPE A
9	TELESCOPING STANDS. REFER TO SHEET A-702
10	EXISTING MECH. YARD TO REMAIN
11	MOP SINK
12	UTILITY SINK
13	ROOF ACCESS LADDER
14	HI-LO WATER COOLERS
15	4' PAIR DECORATIVE FENCE GATE

FLOOR PLAN LEGEND

F.E.C. — FIRE EXTINGUISHER CABINET

PORCELAIN-ENAMEL MARKERBOARD
LENGTH

XX — WINDOW TYPE

XX — DOOR NUMBER
SEE DOOR SCHEDULE

MSSA PBK
BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

KEY PLAN
A B
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 34,939
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

LEVEL 1 - AREA A FLOOR PLAN

A-101A

Plot Stamp:
6/3/2025 3:16:40 PM

LEVEL 1 - AREA A DIMENSION FLOOR PLAN
A-131A
FOR BLUEBEAM LABELING/OCR:

0"
1"



01/ A-131A | LEVEL 1 - AREA A DIMENSION FLOOR PLAN
3/32" = 1'-0"

PARTITION TYPE SCHEDULE

WALL TYPE	THICKNESS	HEIGHT	WALL RATING	COMMENTS	SYMBOL
M4	3 5/8"	TO DECK	NON-RATED		
M4.C	3 5/8"	ABV CLG	NON-RATED		
M6	5 5/8"	TO DECK	NON-RATED		
M6.C	5 5/8"	ABV CLG	NON-RATED		
M6.SP	5 5/8"	TO DECK	SMOKE PARTITION		
M8	7 5/8"	TO DECK	NON-RATED		
M8.2	7 5/8"	TO DECK	2HR	PROVIDE SIGNAGE W/ LETTERS 2" HIGH MIN. @12' O.C. "2 HOUR FIRE BARRIER PROTECT ALL OPENINGS	
M8.SP	7 5/8"	TO DECK	SMOKE PARTITION		

MSSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH, FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309
CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

KEY PLAN
A B
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 33,939
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE 2025/05/19	PROJECT NUMBER 202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

LEVEL 1 - AREA A DIMENSION FLOOR PLAN

A-131A

Plot Stamp:
6/3/2025 3:16:40 PM

0"
1"

LEVEL 1 - AREA A CEILING PLAN
A-201A
FOR BLUEBEAM LABELING/OCR:



01 LEVEL 1 - AREA A CEILING PLAN
3/32" = 1'-0"

GENERAL CEILING PLAN NOTES

1. ALL CEILINGS ARE 10'-0" AFF U.N.O.
2. REFER TO AND COORDINATE WITH CEILING MATERIALS LEGEND FOR SPECIFIC CEILING TYPES.
3. ALL SCHEDULED CEILING HEIGHTS ARE FROM THE MAIN FLOOR LEVEL WITHIN THE ROOM AND OR SPACE, AND ARE NOT FROM AN ELEVATED FLOOR LEVEL, AND ARE NOT FROM A RECESSED FLOOR LEVEL.
4. NO FIRE SPRINKLER HEADS ARE SHOWN ON ARCHITECTURAL CEILING PLANS. ALL SPRINKLER HEADS SHALL BE CENTERED WITHIN CEILING TILES U.N.O.
5. ONLY CEILING MOUNTED FIXTURES AND EQUIPMENT IS SHOWN ON ARCHITECTURAL CEILING PLANS. REFER TO INTERIOR ELEVATIONS FOR WALL MOUNTED FIXTURES. REFER TO MEPT DOCUMENTS FOR ADDITIONAL INFORMATION CONCERNING CEILING MOUNTED FIXTURES AND OR WALL MOUNTED FIXTURES.
6. CEILING MOUNTED LIGHT FIXTURES ARE SHOWN FOR LOCATION PURPOSES ONLY. COORDINATE WITH ELECTRICAL DOCUMENTS FOR LIGHT FIXTURE DESIGNATIONS.
7. VERIFY LOCATIONS OF ALL CEILING ACCESS PANELS WITH MEP DOCUMENTS. COORDINATE LOCATIONS OF CEILING ACCESS PANELS WITH ARCHITECT PRIOR TO INSTALLATION. CEILING ACCESS PANEL FIRE RATINGS SHALL MATCH CEILING ASSEMBLY FIRE RATINGS.
8. REFER TO WALL SECTIONS FOR WALL-CEILING INTERFACE.
9. COORDINATE LOCATION OF ALL LIGHT FIXTURES, EXIT SIGNS, GRILLES, AND SPEAKERS WITH MEP DRAWINGS.
10. REFER TO MEP FOR ALL MECHANICAL ROOM LIGHTING AND ANY FIXTURES NOT SHOWN ON ARCHITECTURAL RCP.
11. PAINT ALL DUCTWORK, CONDUITS, PIPING, GYP BOARD CEILING FURRDOWNS, STRUCTURAL BEAMS, STRUCTURAL JOISTS, STRUCTURAL COLUMNS, METAL ROOF DECK, AND OTHER STRUCTURAL MEMBERS - BOTH EXTERIOR AND INTERIOR - WHERE EXPOSED TO VIEW. COORDINATE PAINT COLOR(S) WITH THE ARCHITECT.
12. LIGHTING FIXTURES TO BE CENTERED AND SPACED EQUALLY UNLESS NOTED OTHERWISE..

KEYNOTE LEGEND

NUMBER	DESCRIPTION
C1	EXPOSED STRUCTURE PAINTED
C2	METAL FRAMED SKYLIGHT
C3	CONTROL JOINT

CEILING MATERIALS LEGEND

APC #1
ACOUSTICAL CEILING PANEL, TYPE 1 - STANDARD, 2'x2' GRID

APC #2
ACOUSTICAL CEILING PANEL, TYPE 2 - VINYL FACED, 2'x2' GRID

EXP
EXPOSED STRUCTURE - PAINTED

GWB
5/8" TYPE X, NON-RATED

DEFS SOFFIT

CEILING PLAN LEGEND

RECESSED CAN LIGHT

2' x 2' RECESSED LIGHT FIXTURE

1' x 4' RECESSED LIGHT FIXTURE

SUPPLY AIR CEILING DIFFUSER

RETURN AIR GRILLE / REGISTER

EXIT SIGN

MSSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

KEY PLAN
A B
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 031307
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

LEVEL 1 - AREA A CEILING PLAN

A-201A

Plot Stamp:
6/3/2025 3:16:42 PM

LEVEL 1 - AREA A - CEILING PLAN SECTIONS & DETAILS
A-202B

FOR BLUEBEAM LABELING/OCR:

0"
1"



9/ A-202B | GWB / GWB DROP SOFFIT
3" = 1'-0"



7/ A-202B | TYP. CONTROL JOINT IN GWB
3" = 1'-0"



8/ A-202B | TYP. GWB DROP SOFFIT AT CMU WALL
3" = 1'-0"



4/ A-202B | GWB / ACT CLG.
3" = 1'-0"



5/ A-202B | TYP. SECTION AT ROOMS
3" = 1'-0"



6/ A-202B | TYP. SOFFIT / WALL REVEAL
3" = 1'-0"



3/ A-202B | TYP. SECTION AT CORRIDOR
3" = 1'-0"



2/ A-202B | TYP. SECTION @ DEFS SOFFIT
3" = 1'-0"

Plot Stamp:
6/3/2025 3:16:42 PM

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH, FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

FACILITY CODE 656-0198
IUs 93
FTE 1800

CONTRACT DRAWINGS

MISSA PBK BETTER TOGETHER
GRIFFIN, GA | 770.227.5473 | www.pbk.com

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 031277
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

LEVEL 1 - AREA A - CEILING PLAN SECTIONS & DETAILS

A-202B

ROOF PLAN, CLERESTORY PLAN AND DETAILS
A-301

FOR BLUEBEAM LABELING/OCR:

0"
1"



1/ A-301 ROOF PLAN
1/16" = 1'-0"



5/ A-301 CLERESTORY PLAN
3/32" = 1'-0"



2/ A-301 ROD SUPPORTED CANOPY
1 1/2" = 1'-0"

ROOF LEGEND

SC	SCUPPER W/ DOWNSPOUT AND DOWNSPOUT BOOTS		FLEECE BACKED TPO ON LIGHT WEIGHT CONC. ROOF DECK. SEE ROOF PLAN AND DETAILS FOR THICKNESS
OSC	OVERFLOW SCUPPER		
R.D.	ROOF DRAIN		TPO ON COVERBOARD ON 4 1/2" RIGID INSUL. ON METAL DECK
DSX	EXISTING DOWNSPOUT		
RTE	ROOF TOP EQUIPMENT		
E.J.	EXPANSION JOINT		TPO (U.N.O.) ON COVERBOARD ON TAPERED INSULATION CRICKET
	ROOF SYSTEM THICKNESS ABOVE DECK		
R.C.	ROD SUPPORTED CANOPY		TPO ON COVERBOARD ON TAPERED INSULATION

ROOF PLAN GENERAL NOTES

1. EXISTING ROOF SYSTEM TO REMAIN INTACT. CONTRACTOR TO PROTECT THE INTEGRITY AND WARRANTY OF THE EXISTING ROOF SYSTEM.
2. PROVIDE CRICKETS WHERE REQUIRED AT ROOF EQUIPMENT
3. ALL ROOF PENETRATIONS ARE NOT SHOWN ON ROOF PLAN. REFER TO MECHANCIAL AND PLUMBING DRAWINGS FOR ADDITIONAL EQUIPMENT, ROOF PENETRATIONS ETC.
4. MINIMUM ROOF SLOPE SHALL BE 1/4" PER FOOT
5. MINIMUM ROOFING SYSTEM THICKNESS ABOVE DECK AT ROOF DRAINS SHALL BE 6"
6. INCREASE SYSTEM THICKNESS AT ROOF DRAIN TO MAINTAIN ROOF SLOPE RESTRICTIONS.
7. PROVIDE SPLASH PANS AT ALL DOWNSPOUTS EMPTYING ON ROOFS BELOW.

MISSA PBK BETTER TOGETHER

www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



KEY PLAN
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 023777
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

ROOF PLAN, CLERESTORY PLAN AND DETAILS

A-301

Plot Stamp:
6/3/2025 3:16:44 PM

0"
1"

ROOF DETAILS
A-302
FOR BLUEBEAM LABELING/OCR:



10/ A-302 TAPERED CRICKET AT EXISTING
1 1/2" = 1'-0"



9/ A-302 SECTION
1 1/2" = 1'-0"



8/ A-302 ROOF EDGE AT MCM
1 1/2" = 1'-0"



7/ A-302 EXP. JT. AT EXISTING 2
1 1/2" = 1'-0"



6/ A-302 EXP. JT. AT ENTRY
1 1/2" = 1'-0"



5/ A-302 ROOF TO WALL 1
1 1/2" = 1'-0"



4/ A-302 TYP. PARAPET DETAIL
1 1/2" = 1'-0"



3/ A-302 EXPANSION JOINT AT NEW
1 1/2" = 1'-0"



2/ A-302 EXPANSION JOINT AT EXISTING
1 1/2" = 1'-0"



1/ A-302 ROOF EDGE 1
1 1/2" = 1'-0"

Plot Stamp:
6/3/2025 3:16:44 PM

MSSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 031217
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

ROOF DETAILS

A-302

0"
1"

ENLARGED FLOOR PLANS
A-401

FOR BLUEBEAM LABELING/OCR:



4/ A-401 ENLARGED FLOOR PLAN
1/4" = 1'-0"



5/ A-401 ENLARGED CUST. FLOOR PLAN
1/4" = 1'-0"



DRAWN FOR DETAIL INFORMATION. SEE FLOOR PLAN FOR EXACT CONFIGURATION OF STALLS AND DOOR HAND

3 TYP. TOILET PARTITION DOOR DETAIL
3" = 1'-0"



2/ A-401 TYP. TOILET PARTITION DETAIL
1/2" = 1'-0"



SECTION 'A'

1/ A-401 TYP. TOILET PARTITION DETAIL
1/2" = 1'-0"

PLAN KEYNOTES (This Sheet Only)

NUMBER	DESCRIPTION
1	7'-4" HIGH WALL W/ TOP COURSE TO BE INVERTED LINTEL. SEE DETAILS ON SHEET A-401
2	SOLID PLASTIC TOILET PARTITION

ENLARGED TOILET PLAN LEGEND

S1 TOILET STALL PLAN DESIGNATION - SEE SHEET G-020

DOOR SCHEDULE - TOILET PARTITIONS

DOOR TYPE	DOOR SIZE		PANEL	
	WIDTH	HEIGHT	TYPE	MATL
A	2'-6"	5'-0"	F	FRP
B	3'-0"	5'-0"	F	FRP
C	3'-0"	4'-10"	F	SOLID PLASTIC TOILET PARTITION

TOILET ACCESSORY SCHEDULE

LABEL	DESCRIPTION	NOTES
TA1W	SOAP DISPENSER	OWNER FURNISHED-GC INSTALLED
TA2	24" X 34" MIRROR	
TA2F	24" X 60" MIRROR	
TA3	TOILET PAPER DISPENSER	OWNER FURNISHED-GC INSTALLED
TA5	GRAB BARS, AT TYPICAL WHEELCHAIR ACCESSIBLE WATERCLOSET, TYPICAL	
TA7	SANITARY NAPKIN DISPOSAL	
TA8	MOP/BROOM HOLDER W/ SHELF	
TA13	HAND DRYER	

NOTES:
1. ALL TOILET ACCESSORIES SHALL BE CONTRACTOR FURNISHED AND CONTRACTOR INSTALLED U.N.O.
2. COORDINATE FINAL LOCATIONS WITH ARCHITECT PRIOR TO INSTALLATION.
3. VERIFY ALL HEIGHTS OF ACCESSORIES TO COMPLY WITH ALL APPLICABLE ACCESSIBILITY REQUIREMENTS.
4. REFER TO ALL FINISHES AND COLORS IN FINISH SCHEDULE, VERIFY ALL PATTERNS WITH ARCHITECT.
5. ALIGN MIRROR ON CENTER OF LAVATORY.

MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309
CONTRACT DRAWINGS

FACILITY CODE 656-0198
IUs 93
FTE 1800

Fayette County Public Schools
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McRER
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

ENLARGED FLOOR PLANS

A-401

Plot Stamp:
6/3/2025 3:16:45 PM

EXTERIOR ELEVATIONS
A-501
FOR BLUEBEAM LABELING/OCR:

0"
1"



11/ A-501 ELEVATION
1/16" = 1'-0"



10/ A-501 DOWNSPOUT EXTENSION



9/ A-501 ELEVATION
1/16" = 1'-0"



8/ A-501 ELEVATION
1/16" = 1'-0"



7/ A-501 ELEVATION
1/16" = 1'-0"



6/ A-501 ELEVATION
1/16" = 1'-0"



5/ A-501 ELEVATION
1/16" = 1'-0"



4/ A-501 ELEVATION
1/16" = 1'-0"



3/ A-501 ELEVATION
1/16" = 1'-0"



2/ A-501 MASONRY COURSING
1/4" = 1'-0"

GENERAL ELEVATION NOTES

1. ALL BUILDING EXPANSION JOINT TO BE 1" UNLESS OTHERWISE NOTED.
2. CONTROL JOINT IN MASONRY VENEER TO BE 3/8" TYPICAL UNLESS OTHERWISE NOTED. EXTEND FULL HEIGHT OF WALL.
3. EXPOSED CONCRETE WALLS, COLUMNS, AND BEAMS SHALL BE RUBBED GROUT FINISH.
4. MASONRY WEEP AT 16" O.C. MAXIMUM.
5. EXTERIOR ALUMINUM STOREFRONT SYSTEM SHALL HAVE ALUMINUM SUB-SILLS WITH END DAMS.
6. EXTERIOR ALUMINUM STOREFRONT SYSTEM SHALL HAVE CONTINUOUS ALUMINUM BACKFILLERS WITH CONTINUOUS PERIMETER ALUMINUM ANGLE.
7. FLEXIBLE MEMBRANE FLASHING AT WINDOWS SILLS AND LINTELS SHALL HAVE PRE-FORMED END DAMS.
8. MASONRY VENEER CONTROL JOINTS SHALL BE 3/8" AT INSIDE CORNERS. AT DISTANCES NOT TO EXCEED 3'-4" FROM OUTSIDE CORNERS, AND AT 30'-0" O.C. MAXIMUM. UNLESS NOTED OTHERWISE. REFERENCE EXTERIOR ELEVATIONS.
9. GUTTERS, CONDUCTOR HEADS, AND DOWNSPOUTS SHALL BE PRE-FINISHED SHEET METAL. COLOR SELECTED BY ARCHITECT.
10. DOWNSPOUTS SHALL HAVE 16 GAUGE PRE-FINISHED DOWNSPOUT BOOT. COLOR SELECTED BY ARCHITECT.
11. DOWNSPOUTS AND/OR ROOF DRAINS SHALL BE CONNECTED TO STORM DRAIN SYSTEM UNLESS OTHERWISE NOTED. REFERENCE CIVIL FOR STORM DRAIN CONNECTION DETAILS AND LOCATIONS.

KEYNOTE LEGEND

NUMBER	DESCRIPTION
E1	ALUMINUM CURTAIN WALL
E2	ALUMINUM STOREFRONT
E3	STEEL COLUMN
E4	DOOR/FRAME PER SCHED.
E5	METAL COMPOSITE MATERIAL
E6	METAL COMPOSITE MATERIAL JOINT
E7	EXISTING BUILDING
E8	COLLECTOR BOX W/ DOWNSPOUT AND DOWNSPOUT BOOTS
E9	OVERFLOW SCUPPER
E10	STEEL GUARDRAIL
E12	METAL FRAMED SKYLIGHT
E13	MANUFACTURED LADDER
E14	DOWNSPOUT EXTENSION W/ SPLASH BLOCKS
E15	CUT EXISTING DOWNSPOUT AS REQ'D, PROVIDE NEW ELBOW AND SPLASH BLOCK
E16	ALUMINUM SUNSHADE
E17	WALL MTD. EXTERIOR LIGHTING FIXTURE
E18	ROD SUPPORTED CANOPY
E19	UL RATED WALL INFILL

EXTERIOR MATERIALS LEGEND

- BRICK TYPE A — RUNNING BOND
- BRICK TYPE B — RUNNING BOND
- BRICK TYPE C — RUNNING BOND
- DECORATIVE CMU TYPE 1 — RUNNING BOND
- DECORATIVE CMU TYPE 2 — RUNNING BOND
- CAST IN PLACE CONCRETE WALL
- METAL COMPOSITE MATERIAL WALL PANELS

MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

KEY PLAN
A B
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT R. McRER
CERTIFICATE NO. 41-030
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY
DATE 2025/05/19
PROJECT NUMBER 202309
DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

EXTERIOR ELEVATIONS

A-501

Plot Stamp:
6/3/2025 3:16:50 PM

SECTIONS
A-601
FOR BLUEBEAM LABELING/OCR:

0"
1"



10/ A-601 SECTION 1/16" = 1'-0"



9/ A-601 SECTION 1/16" = 1'-0"



8/ A-601 SECTION 1/16" = 1'-0"



7/ A-601 SECTION 1/16" = 1'-0"



6/ A-601 SECTION 3/8" = 1'-0"



5/ A-601 SECTION 3/8" = 1'-0"



4/ A-601 SECTION 3/8" = 1'-0"



3/ A-601 SECTION 3/8" = 1'-0"



2/ A-601 SECTION 3/8" = 1'-0"



1/ A-601 SECTION 3/8" = 1'-0"

MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

KEY PLAN
NORTH: PLAN TRUE

STATE OF GEORGIA
BRETT B. McVEIGH
REGISTERED NO. 031259
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

SECTIONS

A-601

Plot Stamp:
6/3/2025 3:16:52 PM

SECTIONS
A-602

FOR BLUEBEAM LABELING/OCR:

0"
1"



11/ A-602 TYP. BASE OF WALL DETAIL
3/4" = 1'-0"



10/ A-602 SECTION
3/8" = 1'-0"



9/ A-602 SECTION
3/8" = 1'-0"



8/ A-602 SECTION
3/8" = 1'-0"



7/ A-602 SECTION
3/8" = 1'-0"



6/ A-602 SECTION
3/8" = 1'-0"



5/ A-602 SECTION
3/8" = 1'-0"



4/ A-602 SECTION
3/8" = 1'-0"



3/ A-602 SECTION
3/8" = 1'-0"



2/ A-602 SECTION
3/8" = 1'-0"



1/ A-602 SECTION
3/8" = 1'-0"

Plot Stamp:
6/3/2025 3:16:54 PM

MSSA PBK BETTER TOGETHER

www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McNIER
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

SECTIONS

A-602

SECTIONS
A-603
FOR BLUEBEAM LABELING/OCR:

0"
1"



6/ A-603 SECTION 3/8" = 1'-0"



5/ A-603 SECTION 3/8" = 1'-0"



4/ A-603 SECTION 1 1/2" = 1'-0"



3/ A-603 SECTION 3/8" = 1'-0"



2/ A-603 SECTION 3/8" = 1'-0"



1/ A-603 SECTION 3/8" = 1'-0"

Plot Stamp:
6/3/2025 3:16:55 PM

MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 031359
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

SECTIONS

A-603

PLAN DETAILS
A-701
FOR BLUEBEAM LABELING/OCR:

0"
1"



12/ A-701 PLAN DETAIL 3/4" = 1'-0"



11/ A-701 PLAN DETAIL 3/4" = 1'-0"



10/ A-701 PLAN DETAIL 3/4" = 1'-0"



9/ A-701 PLAN DETAIL 3/4" = 1'-0"



8/ A-701 PLAN DETAIL 3/4" = 1'-0"



7/ A-701 PLAN DETAIL 3/4" = 1'-0"



6/ A-701 PLAN DETAIL 3/4" = 1'-0"



5/ A-701 PLAN DETAIL 3/4" = 1'-0"



4/ A-701 PLAN DETAIL 3/4" = 1'-0"



3/ A-701 PLAN DETAIL 3/4" = 1'-0"



2/ A-701 PLAN DETAIL 3/4" = 1'-0"



1/ A-701 PLAN DETAIL 3/4" = 1'-0"

Plot Stamp:
6/3/2025 3:16:56 PM

MISSA PBK BETTER TOGETHER
GRIFFIN, GA | 770.227.5473 | www.pbk.com

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309
FACILITY CODE 656-0198
IUs 93
FTE 1800

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 9020
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

PLAN DETAILS

A-701

GYMNASIUM COURT MARKINGS AND BLEACHERS A-702

FOR BLUEBEAM LABELING/OCR:

0"
1"



1/ A-702 BLEACHER SECTION
3/8" = 1'-0"



2/ A-702 VOLLEYBALL SLEEVE
1" = 1'-0"



6/ A-702 VOLLEYBALL COURT MARKINGS
1/8" = 1'-0"

GENERAL COURT NOTES

1. ALL MAIN COURT & PRACTICE BASKETBALL COURT LINES SHALL BE PAINTED SOLID 2" WIDE, ALL OTHER LINES SHALL BE 1 1/2" WIDE
2. LINE WEIGHT & LINE STYLES INDICATED ON DRAWINGS ARE FOR CLARITY ONLY
3. WHERE STRIPING CROSSES STRIPING EXCEPT MAIN COURT STRIPING, PROVIDE A 3/4" GAP (TYP.)
4. ALL COURT MARKINGS SHALL COMPLY WITH NATIONAL FEDERATION COURT & FIELD DIAGRAM GUIDE (LATEST EDITION) PUBLISHED BY THE NATIONAL FEDERATION OF STATE HIGH SCHOOL ASSOCIATIONS.
   PHONE: (816) 464-5400
   FAX: (816) 464-5571

   COURT DIMENSIONS:

MAIN BASKETBALL COURT:	50'-0" x 84'-0"
(2) PRACTICE BASKETBALL COURTS:	42'-0" x 84'-0" EACH
(3) VOLLEYBALL COURTS:	30'-0" x 60'-0" EACH
(4) BADMINTON COURTS:	20'-0" x 44'-0" EACH

3/ A-702 BLEACHER SEATING
1/8" = 1'-0"

4/ A-702 GYM FLOOR FINISH
1/8" = 1'-0"

5/ A-702 BASKETBALL COURT MARKINGS
1/8" = 1'-0"

MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 33,020
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV

DRAWN BY: KM/ LT

GYMNASIUM COURT MARKINGS AND BLEACHERS

A-702

Plot Stamp:
9/3/2025 3:16:57 PM

PARTITION TYPES
A-801A

FOR BLUEBEAM LABELING/OCR:

0"
1"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
A6.C	6" & 6"	NONE	DOUBLE WYTHE 6" CMU ABV CLG W/GROUT INFILL		
A8.C	8"& 8"	NONE	DOUBLE WYTHE 8" CMU ABV CLG W/GROUT INFILL		
A10.C	10" & 10"	NONE	DOUBLE WYTHE 10"CMU ABV CLG W/GROUT INFILL		

PARTITION SYMBOL LEGEND

- CMU BLOCK - REFER TO TABLE FOR THICKNESS
- CONT. BOND BEAM BLOCK - REFER TO TABLE FOR THICKNESS REINFORCE W/ CONT. REBAR @ 9'-0" A.F.F.:
  - (2) #4 @ 6" CMU
  - (2) #5 @ 8" CMU
  UNO BY STRUCTURE
- CONT. BOND BEAM REINFORCED W/ (2) #4 CONT. UNO BY STRUCTURE - REFER TO TABLE FOR THICKNESS
- SOUND ATTENUATION BLANKETS
- SCHEDULED CEILING



6/ A-801A PARTITION TYPE A-.C[SOUND W. ABV CLG]

1" = 1'-0" *SOUND PARTITION - LOW CEILING TO LOW CEILING*



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
B8.2	8" & 8"	2HR	DOUBLE WYTHE 8" CMU WITH AIR SPACE		
B10.2	10" & 10"	2HR	DOUBLE WYTHE 10" CMU WITH AIR SPACE		
B12.2	12" & 12"	2HR	DOUBLE WYTHE 12" CMU WITH AIR SPACE		

11 PARTITION TYPE B-[BLDG SEPARATION]

1" = 1'-0"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
E6	6" & 6"	NONE	DOUBLE WYTHE 6" CMU W/GROUT INFILL		
E6.1	6" & 6"	1HR	DOUBLE WYTHE 6" CMU W/GROUT INFILL		
E8	8" & 8"	NONE	DOUBLE WYTHE 8" CMU W/GROUT INFILL		
E8.1	8" & 8"	1HR	DOUBLE WYTHE 8" CMU W/GROUT INFILL		
E10	10" & 10"	NONE	DOUBLE WYTHE 10" CMU W/GROUT INFILL		
E10.1	10" & 10"	1HR	DOUBLE WYTHE 10"CMU W/GROUT INFILL		

10 PARTITION TYPE E-[SOUND WALL TO DECK]

1" = 1'-0" *SOUND PARTITION - FROM HIGH CLG TO HIGH CLG SPACE*



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
E66	6" & 6"	NONE	6" CMU & 6" CMU W/GROUT INFILL, W/6" METALSTUDS		
E68	6" & 8"	NONE	6" CMU & 8" CMU W/GROUTINFILL, W/6" METAL STUDS		

9 PARTITION TYPE E-- [SOUND WALL TO DECK]

1" = 1'-0" *SOUND PARTITION - FROM HIGH CLG TO LOW CLG SPACE*



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
K6.F	6"	NONE	6" CMU WITH METAL STUDS TO DECK		
K6.F1	6"	1HR	6" CMU WITH METAL STUDS TO DECK		
K8.F	8"	NONE	8" CMU WITH METAL STUDS TO DECK		
K8.F1	8"	1HR	8" CMU WITH METAL STUDS TO DECK		
K10.F	10"	NONE	10" CMU WITH METAL STUDS TO DECK		
K10.F1	10"	1HR	10" CMU WITH METAL STUDS TO DECK		
K12.F	12"	NONE	12" CMU WITH METAL STUDS TO DECK		
K12.F1	12"	1HR	12" CMU WITH METAL STUDS TO DECK		

8 PARTITION TYPE K-.F [TO DECK W FINISH]

1" = 1'-0"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
K6	6"	NONE	6" CMU WITH METAL STUDS TO DECK	42	WW-0048
K6.1	6"	1HR	6" CMU WITH METAL STUDS TO DECK	42	WW-0048
K8	8"	NONE	8" CMU WITH METAL STUDS TO DECK	44	WW-0048
K8.1	8"	1HR	8" CMU WITH METAL STUDS TO DECK	44	WW-0048
K10	10"	NONE	10" CMU WITH METAL STUDS TO DECK	46	WW-0048
K10.1	10"	1HR	10" CMU WITH METAL STUDS TO DECK	46	WW-0048
K12	12"	NONE	12" CMU WITH METAL STUDS TO DECK	48	WW-0048
K12.1	12"	1HR	12" CMU WITH METAL STUDS TO DECK	48	WW-0048

7 PARTITION TYPE K- [TO DECK]

1" = 1'-0"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC
M6.C	6"	NONE	6" CMU ABOVE CEILING	42
M8.C	8"	NONE	8" CMU ABOVE CEILING	44
M10.C	10"	NONE	10" CMU ABOVE CEILING	46
M12.C	12"	NONE	12" CMU ABOVE CEILING	48

14 PARTITION TYPES-TYP CMU WALL BRACING

12" = 1'-0"

HOW TO USE THIS SHEET

1. NOT EVERY PARTITION TYPE SHOWN IS NECESSARILY INTENDED FOR USE ON THIS PROJECT. REFER TO FLOOR PLANS FOR REFERENCE MARKS INDICATING APPLICABLE PARTITION TYPES.
2. REFER TO BRACING DETAILS FOR SUPPORT OF THE TOP OF EACH PARTITION TYPE AND BRACING OF PARTITIONS THAT EXCEED LIMITING HEIGHT OF PARTITION TYPES.
3. COORDINATE TOPS OF FINISHED WALLS WITH ADJACENT CEILING HEIGHTS PER SCHEDULES, SECTIONS AND OR DETAILS.
4. CONSULT ARCH. FOR ANY DISCREPANCIES OR QUESTIONS REGARDING PARTITIONS PRIOR TO INSTALLATION.
5. FIRE-RATED PARTITIONS
   - A. REFER TO THE UL FIRE RESISTANCE DIRECTORY FOR DETAILED DESCRIPTIONS OF FIRE- RATED PARTITIONS
   - B. FILL ALL GAPS AND DECK VOIDS WITH CONT. FIRESAFING INSUL.
   - C. SEAL ALL SIDES, TOPS & BOTTOMS OF PARTITIONS WITH CONT. FIRE-RATED SEALANT. SEAL ALL PENETRATIONS WITH CONT. PENETRATION FIRESTOPPING

INTERIOR CMU PARTITION NOTES

1. CMU PARTITION BRACING
   - A. WHERE BRACING METHODS BETWEEN THIS SHEET AND STRUCT. CONFLICT, STRUCT. SHALL OVERRIDE. NOTIFY ARCH. PRIOR TO INSTALLATION.
   - B. PROVIDE INTERMEDIATE BRACING AT ALL CMU PARTITIONS AT CONDITIONS AS INDICATED ON THE "PARTITION TYPES-TYP CMU WALL BRACING" DETAIL.
2. PROVIDE CMU LINTELS FOR ALL OPENINGS IN INTERIOR CMU PARTITIONS, COORD. WITH STRUCT. DOCUMENTS.
3. PROVIDE 3/4" SPACE BETWEEN TOP OF CMU PARTITION AND STRUCTURE AND OR DECK ABOVE FOR POTENTIAL DEFLECTION, SEAL AS INDICATED ON PARTITION TYPE, OR AS INDICATED IN THESE NOTES.
4. LOCATE CONTROL JOINTS IN CMU PARTITIONS AS FOLLOWS, U.N.O. BY STRUCT.
   - A. PARTITIONS EXCEEDING 25'-0" IN PLAN LENGTH
   - B. WHERE PARTITION ABUTS A STRUCTURAL ELEMENT OF DISSIMILAR WALL
   - C. AT EXPANSION JOINTS
   - D. REFER TO DETAILS FOR ADDITIONAL LOCATIONS
5. FIRE-RATED PARTITIONS
   - A. REFER TO THE UL FIRE RESISTANCE DIRECTORY FOR DETAILED DESCRIPTIONS OF FIRE-RATED PARTITIONS
   - B. FILL ALL GAPS AND DECK VOIDS WITH CONT. FIRESAFING INSUL.
   - C. SEAL ALL SIDES, TOPS & BOTTOMS OF PARTITIONS WITH CONT. FIRE-RATED SEALANT. SEAL ALL PENETRATIONS WITH CONT. PENETRATION FIRESTOPPING



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
A6	6" & 6"	NONE	DOUBLE WYTHE 6" CMU W/GROUT INFILL, TO DECK		
A8	8" & 8"	NONE	DOUBLE WYTHE 8" CMU W/GROUT INFILL, TO DECK		
A10	10" &10"	NONE	DOUBLE WYTHE 10" CMU W/GROUT INFILL, TO DECK		

5 PARTITION TYPE A-[SOUND WALL TO DECK]

1" = 1'-0" *SOUND PARTITION*



TYPE	THICKNESS	FIRE RATG	DESCRIPTION
M8.P	8"	NONE	8" CMU PARTIAL HEIGHT
M8.P	8"	NONE	8" CMU PARTIAL HEIGHT
M10.P	10"	NONE	10" CMU PARTIAL HEIGHT
M12.P	12"	NONE	12" CMU PARTIAL HEIGHT

4 PARTITION TYPE M-.P [PARTIAL HEIGHT]

1" = 1'-0"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
M6.F	6"	NONE	6" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M6.F1	6"	1 HR	6" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M6.F2	6"	2HR	6" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M8.F	8"	NONE	8" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M8.F1	8"	1 HR	8" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M8.F2	8"	2HR	8" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M10.F	10"	NONE	10" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M10.F1	10"	1 HR	10" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M10.F2	10"	2HR	10" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M12.F	12"	NONE	12" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M12.F1	12"	1 HR	12" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		
M12.F2	12"	2HR	12" CMU TO DECK WITH 5/8" GYP BD ONE SIDE		

3 PARTITION TYPE M-.F [TO DECK W FINISH]

1" = 1'-0"



TYPE	THICKNESS	FIRE RATG	DESCRIPTION	STC	UL
M6	6"	NONE	6" CMU TO DECK	42	
M6.1	6"	1HR	6" CMU TO DECK	42	
M6.2	6"	2HR	6" CMU TO DECK	42	
M8	8"	NONE	8" CMU TO DECK	44	
M8.1	8"	1HR	8" CMU TO DECK	44	
M8.2	8"	2HR	8" CMU TO DECK	44	U905
M10	10"	NONE	10" CMU TO DECK	46	
M10.1	10"	1HR	10" CMU TO DECK	46	
M10.2	10"	2HR	10" CMU TO DECK	46	
M12	12"	NONE	12" CMU TO DECK	48	
M12.1	12"	1HR	12" CMU TO DECK	48	
M12.2	12"	2HR	12" CMU TO DECK	48	

2 PARTITION TYPE M- [TO DECK]

1" = 1'-0"





1 PARTITION TYPE M-.C [ABOVE CEILING]

1" = 1'-0"

M3.C

PARTITION FIRE RATING
- - FOR NO RATING
- SB SMOKE BARRIER
- 1 1HR
- 2 2HR
- SP SMOKE PARTITION

PARTITION MODIFIER:
- - NO DIGIT FOR FULL HEIGHT ASSEMBLY TO DECK
- C ABOVE CEILING
- F WITH FINISH ON ONE SIDE
- P PARTIAL HEIGHT
- X NO SOUND ATTENUATION BLANKETS
- G ANGLED CAP
- R TO CEILING (FOR RENOVATION PROJECTS ONLY)
- A SOUND PARTITION WITH FOAM INFILL
- B BALLISTIC PARTITION WITH SAND INFILL

STRUCTURAL CORE WIDTH

METAL & CFMF:		CMU:		C-H:	
1	7/8" CHANNEL	4	3-5/8" ACTUAL, 4" NOM	2	2-1/2"
2	2-1/2" STUD	6	5-5/8" ACTUAL, 6" NOM	4	4"
3	3-5/8" STUD	8	7-5/8" ACTUAL, 8" NOM	6	6"
4	4" STUD	10	9-5/8" ACTUAL, 10" NOM		
5	5-1/2" STUD	12	11-5/8" ACTUAL, 12" NOM		
6	6" STUD				
8	8" STUD				
12	12" STUD				

PARTITION TYPE:

M - CONCRETE MASONRY UNITS (CMU)
K - CONCRETE MASONRY UNITS (CMU) WITH METAL STUDS ABOVE CEILING
A - DOUBLE WYTHE CONCRETE MASONRY UNITS (CMU), SOUND PARTITION
E - DOUBLE WYTHE CONCRETE MASONRY UNITS (CMU) WITH METAL STUDS ABOVE CEILING, SOUND PARTITION
B - DOUBLE WYTHE CONCRETE MASONRY UNITS (CMU), BUILDING SEPARATION WALL

Plot Stamp:
6/3/2025 3:17:00 PM

MISSA PBK
BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. MCKEE
REGISTERED NO. 031264
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

PARTITION TYPES

A-801A

TERMINATION DETAILS
A-801B

FOR BLUEBEAM LABELING/OCR:

0"
1"

RT1

RT2

RT3

RT4

RT5

RT6

RT7

NOTES:

1. *NOT ALL TERMINATION DETAILS SHOWN ON THIS SHEET ARE USED IN THE PROJECT.*
2. SEE PLANS FOR PARTITION TYPES
3. PROVIDE DEFLECTION TRACKS AT TOP OF ALL FIRE RATED GWB/METAL STUD PARTITIONS
4. SEE FIREPROOFING SCHEDULE FOR STRUCTURAL STEEL FIREPROOFING



RT10



T1

TYPICAL TERMINATION DETAIL FOR NON RATED INTERIOR PARTITIONS INDICATED TO EXTEND TO STRUCTURE AND/OR FLOOR AND ROOF DECKS

1/ A-801B | TYPICAL TERMINATION DETAILS
3/4" = 1'-0"

Plot Stamp:
6/3/2025 3:17:05 PM

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH, FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309
FACILITY CODE 656-0198
IUs 93
FTE 1800

CONTRACT DRAWINGS

MSSA PBK
BETTER TOGETHER
GRIFFIN, GA | 770.227.5473 | www.pbk.com

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 033997
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

TERMINATION DETAILS

A-801B

DOOR SCHEDULE AND DETAILS
A-810

FOR BLUEBEAM LABELING/DOOR:



NOTE: H.M. FRAME SIZE AS REQUIRED TO MATCH PARTITION THICKNESS



NOTE: H.M. FRAME SIZE AS REQUIRED TO MATCH PARTITION THICKNESS



NOTE: H.M. FRAME SIZE AS REQUIRED TO MATCH PARTITION THICKNESS



NOTE: H.M. FRAME SIZE AS REQUIRED TO MATCH PARTITION THICKNESS

24/ A-810 | H1 — 1 1/2" = 1'-0"



23/ A-810 | H2 — 1 1/2" = 1'-0"



22/ A-810 | H3 — 1 1/2" = 1'-0"



21/ A-810 | H4 — 1 1/2" = 1'-0"



20/ A-810 | H5 — 1 1/2" = 1'-0"



19/ A-810 | H6 — 1 1/2" = 1'-0"



18/ A-810 | H7 — 1 1/2" = 1'-0"



17/ A-810 | H8 — 1 1/2" = 1'-0"



16/ A-810 | H9 — 1 1/2" = 1'-0"



15/ A-810 | H10 — 1 1/2" = 1'-0"



14/ A-810 | J8 — 1 1/2" = 1'-0"



13/ A-810 | J7 — 1 1/2" = 1'-0"



12/ A-810 | J6 — 1 1/2" = 1'-0"



11/ A-810 | J5 — 1 1/2" = 1'-0"

10/ A-810 | J4 — 1 1/2" = 1'-0"

9/ A-810 | J3 — 1 1/2" = 1'-0"



8/ A-810 | J2 — 1 1/2" = 1'-0"

7/ A-810 | J1 — 1 1/2" = 1'-0"

6/ A-810 | S4 — 1 1/2" = 1'-0"

5/ A-810 | S3 — 1 1/2" = 1'-0"

4/ A-810 | S2 — 1 1/2" = 1'-0"

3/ A-810 | S1 — 1 1/2" = 1'-0"



02 DOOR FRAME CONFIGURATIONS

1. EXTERIOR GLAZING SHALL BE GI1, U.N.O.
2. INTERIOR GLAZING SHALL BE MG1, U.N.O.





01 DOOR PANEL TYPES

DOOR SCHEDULE

DOOR NUMBER	NO. DOORS	DOOR WIDTH	DOOR HEIGHT	PANEL TYPE	PANEL MATERIAL	FRAME TYPE	FRAME H	FRAME J	FRAME MATL	GENERAL FIRE RATING	GENERAL HARDWARE SET	GENERAL REMARKS
AUX GYM LEVEL 1												
1000.1	PAIR	6'-0"	7'-0"	HG-1	FRP	001	H3	J1	HM			1,2
1000A	PAIR	6'-0"	7'-0"	NV-1	W	001	H5	J3	HM	120 MIN.		
1000B	SNGL	3'-0"	7'-0"	F	W	001	H5	J3	HM	120 MIN.		
1000C	PAIR	6'-0"	7'-0"	NV-1	W	001	H5	J3	HM	120 MIN.		
1000D	PAIR	6'-0"	7'-0"	NV-1	W	001	H5	J3	HM	120 MIN.		
1000E	PAIR	6'-0"	7'-0"	HG-1	FRP	123	H3	J1	HM			1,2
1001	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.1A	PAIR	6'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.1B	PAIR	6'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.2A	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.2B	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.3A	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1002.3B	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1002A	PAIR	6'-0"	7'-0"	HG-1	W	124, Do or Frame	H2	J2	HM			
1002B	PAIR	6'-0"	7'-0"	HG-1	W	124, Do or Frame	H2	J2	HM			
1002C	PAIR	6'-0"	8'-0"	HGIR	FRP	001	-	-	ALUM			1,2,3
1003	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1004	SNGL	3'-0"	7'-0"	F	W	001	H1	J4	HM			
1005A	PAIR	6'-0"	7'-0"	NV-1	W	001	H1	J4	HM			
1005B	PAIR	6'-0"	7'-0"	HG-1	W	124, Do or Frame	H1	J4	HM			
1006	SNGL	3'-0"	6'-10"	NV-1	W	011	H1	J4	HM			
1007A	PAIR	6'-0"	7'-0"	NV-1	W	001	H1	J4	HM			
1007B	SNGL	3'-0"	6'-10"	NV-1	FRP	001	H1	J1	HM			
1008	SNGL	3'-0"	7'-0"	F	FRP	001	H3	J1	HM			
24												
BASEBALL CONCESSIONS LEVEL 1												
101	SNGL	3'-0"	7'-0"	F	FRP	001	H6	J4	HM			
102	SNGL	3'-0"	7'-0"	F	FRP	001	H6	J4	HM			
103	SNGL	3'-0"	7'-0"	F	FRP	001	H1	J4	HM	60 MIN.		
103.1	SNGL	3'-0"	7'-0"	F	FRP	001	H6	J4	HM			
103.2		8'-0"	4'-6"	OHCS		00HC	H8	J8				SILL S4
5												
BASEBALL CONCESSIONS LEVEL 2												
201.1	SNGL	3'-0"	7'-0"	F	FRP	001	H7	J5	HM	60 MIN.		
201.2	SNGL	3'-0"	7'-0"	F	FRP	001	H10	J6	HM			
201.3		8'-0"	4'-6"	OHCS		00HC	H9	J7				SILL S3
201.4		8'-0"	4'-6"	OHCS		00HC	H9	J7				SILL S3
4												
33												

MATERIALS

W - WOOD, SOLID CORE

FRP - FIBERGLASS REINFORCED POLYESTER

REMARKS LEGEND

1. CARD READER
2. ELECTRIC STRIKE
3. REFER TO WINDOW ELEVATIONS FOR FRAME TYPE

GLAZING MATERIALS LEGEND

GI1
1 1/8" TINTED LAMINATED INSULATING-GLASS UNITS AT EXTERIOR HOLLOW METAL FRAME VIEW OPENINGS AND ALUMINUM FRAME VIEW OPENINGS UNLESS NOTED OTHERWISE.

GI2
1 3/16" TINTED INSULATING LAMINATED GLASS @ SKYLIGHTS.

FG1
FIRE RESISTANT RATED GLAZING AT ALL U.L. RATED DOORS AND HOLLOW METAL VIEW OPENINGS.

MG1
1/4" UNCOATED CLEAR TEMP. FLOAT-GLASS UNITS AT INTERIOR NON-FIRE RATED DOORS AND VIEW OPENINGS UNLESS NOTED OTHERWISE.

MSSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McRER
CERTIFICATE NO. 41-029782
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

DOOR SCHEDULE AND DETAILS

A-810

Plot Stamp:
6/3/2025 3:17:01 PM

STOREFRONT AND CURTAINWALL ELEVATIONS
A-831
FOR BLUEBEAM LABELING/OCR:

0"
1"



6/ A-831 | CW01 | 1/4" = 1'-0"



5/ A-831 | CW02 | 1/4" = 1'-0"



4/ A-831 | SFT01 | 1/4" = 1'-0"



3/ A-831 | SFT02 | 1/4" = 1'-0"



2/ A-831 | SFT03 | 1/4" = 1'-0"



1 | AW01 | 1/4" = 1'-0"

GLAZING MATERIALS LEGEND

GI1
1 1/8" TINTED LAMINATED INSULATING-GLASS UNITS AT EXTERIOR HOLLOW METAL FRAME VIEW OPENINGS AND ALUMINUM FRAME VIEW OPENINGS UNLESS NOTED OTHERWISE.

GI2
1 3/16" TINTED INSULATING LAMINATED GLASS @ SKYLIGHTS.

FG1
FIRE RESISTANT RATED GLAZING AT ALL U.L. RATED DOORS AND HOLLOW METAL VIEW OPENINGS.

MG1
1/4" UNCOATED CLEAR TEMP. FLOAT-GLASS UNITS AT INTERIOR NON-FIRE RATED DOORS AND VIEW OPENINGS UNLESS NOTED OTHERWISE.

MSSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 033859
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

STOREFRONT AND CURTAINWALL ELEVATIONS

A-831

Plot Stamp:
6/3/2025 3:17:02 PM

WINDOW & LOUVER DETAILS
A-861
FOR BLUEBEAM LABELING/OCR:

0"
1"



12/ A-861 | AS3 ALUM
1 1/2" = 1'-0"



11/ A-861 | AS2
1 1/2" = 1'-0"



10/ A-861 | AS1
1 1/2" = 1'-0"



9/ A-861 | AJ6
1 1/2" = 1'-0"



8/ A-861 | AJ5 ALUM
1 1/2" = 1'-0"



7/ A-861 | AJ3
1 1/2" = 1'-0"



6/ A-861 | AJ2
1 1/2" = 1'-0"



5/ A-861 | AJ1
1 1/2" = 1'-0"



4/ A-861 | AH6
1 1/2" = 1'-0"



3/ A-861 | AH4
1 1/2" = 1'-0"



2/ A-861 | AH2 ALUM
1 1/2" = 1'-0"



1/ A-861 | AH1
1 1/2" = 1'-0"

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH, FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309
CONTRACT DRAWINGS

FACILITY CODE 656-0198
IUs 93
FTE 1800

MISSA PBK
BETTER TOGETHER

GRIFFIN, GA | 770.227.5473 | www.pbk.com

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 33,020
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

WINDOW & LOUVER DETAILS

A-861

Plot Stamp:
6/3/2025 3:17:02 PM

FINISH & FLOOR PLANS
A-901

FOR BLUEBEAM LABELING/OCR:

0"
1"

WALL FINISH SCHEDULE

Level	ROOM DATA NUMBER	ROOM DATA NAME	ROOM DATA Area	BASE FINISH	WALL FINISH	WALL FINISHES NORTH	WALL FINISHES EAST	WALL FINISHES SOUTH	WALL FINISHES WEST	COMMENTS
MAIN GYM LOWER LEVEL										
MAIN GYM LOWER LEVEL	S07	WRESTLING ROOM	2,002 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S08	STORAGE	331 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S09	ELEVATOR EQUIP. RM.	71 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S11	LAUNDRY RM.	116 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S12	GIRLS ATHLETIC LOCKER ROOM	668 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S13	TOILET RM	143 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S14	DRYING	102 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S15	SHOWER RM.	164 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S16	BOYS ATHLETIC LOCKER ROOM	765 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S17	DRYING	122 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S18	TOILET RM.	144 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S19	SHOWER RM.	154 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S20	TRAINING RM.	254 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S21	DANCE ROOM	1,961 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S22	HEAD COACH'S OFFICE	159 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S23	BATHROOM	48 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S24	HEAD COACH'S OFFICE	159 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S25	BATHROOM	48 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
MAIN GYM LOWER LEVEL	S26	ELEVATOR	70 SF			CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1										
AUX GYM LEVEL 1	1000	CORRIDOR	2,171 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1000.1	CORRIDOR	873 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1001	ELEC.	74 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1002	GYMNASIUM	7,091 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1002.1	STORAGE	512 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1002.2	GIRLS LOCKER	366 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1002.3	BOYS LOCKER	358 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1003	CUST.	83 SF	RES		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1004	DATA	83 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1005	MULTI-PURPOSE	4,468 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1006	TRAINER	239 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1007	WEIGHTROOM	4,435 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1008	RISER	73 SF	RB		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1009	BOYS RR	151 SF	RES		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
AUX GYM LEVEL 1	1010	GIRLS RR	135 SF	RES		CMU-PT	CMU-PT	CMU-PT	CMU-PT	
BASEBALL CONCESSIONS LEVEL 1										
BASEBALL CONCESSIONS LEVEL 1	101	MENS	63 SF							
BASEBALL CONCESSIONS LEVEL 1	102	WOMENS	63 SF							
BASEBALL CONCESSIONS LEVEL 1	103	CONCESSION	261 SF							
BASEBALL CONCESSIONS LEVEL 2										
BASEBALL CONCESSIONS LEVEL 2	201	SCORE BOOTH	266 SF	WB		T11	T11	T11	T11	
BASEBALL CONCESSIONS LEVEL 2	202	STORAGE	148 SF	WB		T11	T11	T11	T11	
BASEBALL CONCESSIONS LEVEL 2	203	STAIR	144 SF	WB		T11 / GWB	T11	T11	T11	
Grand total			29,527 SF							

GENERAL FLOOR FINISH NOTES

1. ALL FINISH MATERIALS SHALL MEET THE FLAME SPREAD RATINGS PER THE BUILDING CODE.
2. REFER TO INTERIOR ELEVATIONS FOR SPECIFIC MATERIAL LOCATIONS.
3. PROVIDE TRANSITION STRIPS AT ALL LOCATIONS WHERE CONDITIONS OF DISSIMILAR FLOOR FINISHES AJOIN. REFER TO SPECIFICATIONS FOR TRANSITION TYPES.
4. ALL FLOORING TRANSITIONS AT DOORS SHALL BE LOCATED BELOW THE CENTERLINE OF DOORS, U.N.O.
5. CONTRACTOR WILL BE RESPONSIBLE FOR PROTECTING FINISHED FLOORING SURFACES FROM DAMAGE DURING ALL CONSTRUCTION PHASES.
6. GENERAL CONTRACTOR TO SUBMIT FLOORING PATTERN LAYOUT WITH STRIPING COLORS AND STRIPING WIDTH AND NOTIFY ARCHITECT. CONTRACTOR SHALL NOT PROCEED WITH THE FLOORING INSTALLATION UNTIL LAYOUT IS APPROVED BY ARCHITECT.

FINISH SCHEDULE NOTES AND REMARKS

GENERAL NOTES:

ALL SCHEDULED DIRECTIONS (NORTH, EAST, SOUTH, WEST) ARE PER PLAN DIRECTIONS, NOT TRUE COMPASS DIRECTIONS.

ALL FINISH MATERIALS SHALL MEET FLAME SPREAD RATINGS PER THE BUILDING CODE.

PROTECT ALL FINISHED FLOORING SURFACES FROM DAMAGE DURING ALL CONSTRUCTION PHASES.

PROVIDE AND INSTALL BULLNOSE TRIM AT ALL TRANSITIONS FROM CERAMIC WALL TILE TO OTHER MATERIALS U.N.O.

PAINT ALL H.M. DOORS & FRAMES _____ U.N.O.

REMARKS:

1. PAINT ALL H.M. DOOR FRAMES TO MATCH ADJACENT WALL COLOR U.N.O.
2. 3/4" TREATED PLYWOOD WAINSCOT FULL HEIGHT ALL AROUND, PAINT

BASE:
WB - WOOD WALL BASE - PAINTED

WALL:
T11 - INTERIOR WOOD PANELING - PAINTED
CMU - CONCRETE MASONRY UNITS - PAINTED
GWB - GYPSUM WALL BOARD - PAINTED



01/ A-901 AUX GYM LEVEL 1 - FINISH PLAN
1/16" = 1'-0"



2/ A-901 EX. MAIN GYM LOWER LEVEL - FLOOR PLAN
3/32" = 1'-0"

FLOOR FINISH LEGEND

SC1 SEALED CONCRETE

PC1 POLISHED CONCRETE

WAF WOOD SPORTS FLOORING

RES RESINOUS FLOORING

RAF RESILIENT ATHLETIC FLOORING

PWD PLYWOOD FLOORING - PAINTED

NOTE: PATTERNS ARE FOR REPRESENTATION ONLY, NOT FOR INSTALLATION.

MISSA PBK BETTER TOGETHER

www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge



STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 032477
REGISTERED ARCHITECT

Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

FINISH & FLOOR PLANS

A-901

Plot Stamp:
6/3/2025 3:17:04 PM

0"
1"

CASEWORK ELEVATIONS, SECTIONS & MISC. DETAILS
A-951
FOR BLUEBEAM LABELING/OCR:



9/ A-951 CASEWORK ELEVATION
3/8" = 1'-0"



8/ A-951 CASEWORK ELEVATION
3/8" = 1'-0"



7/ A-951 LOCKER SECTION DETAIL
3/4" = 1'-0"



6/ A-951 CASEWORK SECTION
1 1/2" = 1'-0"



5/ A-951 CASEWORK SECTION
1 1/2" = 1'-0"



4/ A-951 CASEWORK SECTION
1 1/2" = 1'-0"



3/ A-951 CASEWORK SECTION
1 1/2" = 1'-0"



2/ A-951 MARKERBOARD DETAIL
3/4" = 1'-0"



1/ A-951 MIRROR DETAIL
3/4" = 1'-0"

CASEWORK SECTION SYMBOL LEGEND



MISSA PBK BETTER TOGETHER
www.pbk.com
770.227.5473
GRIFFIN, GA

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

FACILITY CODE 656-0198
IUs 93
FTE 1800

193 PANTHER PATH. FAYETTEVILLE, GA 30215
PBK PROJECT NO. 202309

CONTRACT DRAWINGS

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McRIER
CERTIFICATE NO. 031555
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT	
FAYETTE COUNTY	
DATE 2025/05/19	PROJECT NUMBER 202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

CASEWORK ELEVATIONS, SECTIONS & MISC. DETAILS

A-951

Plot Stamp:
6/3/2025 3:17:05 PM

0"
1"

CASEWORK DETAILS - BASEBALL CONCESSIONS
A-961
FOR BLUEBEAM LABELING/OCR:



2/ A-961 MILLWORK SECTION
1 1/2" = 1'-0"



3/ A-961 MILLWORK SECTION - UNDER OPENING
1 1/2" = 1'-0"



4/ A-961 MILLWORK SECTION 2
1 1/2" = 1'-0"



7/ A-961 SCORE BOOTH ELEVATION
3/8" = 1'-0"



6/ A-961 MILLWORK ELEVATION 3
3/8" = 1'-0"



5/ A-961 MILLWORK ELEVATION - CONCESSIONS 2
3/8" = 1'-0"



1/ A-961 MILLWORK ELEVATION
3/8" = 1'-0"

STARR'S MILL HIGH SCHOOL - AUXILIARY GYM ADDITION

193 PANTHER PATH, FAYETTEVILLE, GA 30215
PBK PROJECT NO: 202309
CONTRACT DRAWINGS

FACILITY CODE 656-0198
IUs 93
FTE 1800

MISSA PBK BETTER TOGETHER
GRIFFIN, GA | 770.227.5473 | www.pbk.com

FAYETTE COUNTY PUBLIC SCHOOLS
Where Excellence and Creativity Merge

STATE OF GEORGIA
BRETT R. McIVER
CERTIFICATE NO. 33,020
REGISTERED ARCHITECT
Architectural Registration No. 9020

CLIENT
FAYETTE COUNTY

DATE	PROJECT NUMBER
2025/05/19	202309

DRAWING HISTORY

No.	Description	Date

CHECKED BY: RV
DRAWN BY: KM/ LT

CASEWORK DETAILS - BASEBALL CONCESSIONS

A-961

Plot Stamp:
6/3/2025 3:17:04 PM